




Exceeding The Limits To Always Get The Best

800x3000 MM

800x3200 MM



## CONNECTING THE VALUE OF SLAB





CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of ceramic slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.



CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.

# PRODUCT Formats




The thicknesses are one of the most important elements characterizing.

15 mm is set aside for the most demanding product applications such as kitchen countertops.



# EDGE Profiles



Double straight rounded edge




Rounded straight edge




Half bullnose



Full bullnose




Demi bullnose



Micro bevel



Straight squared edge



Double straight squared edge



Rounded edge at 45°



Squared edge at 45°

Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm it is possible to shape its edges in different styles and create aesthetically rich countertops for your space.


## JOINT POSSIBILITIES



Birds beak




45° corner



Soft corner







White

Black

Green

Blue




Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of  
The Residential Kitchen

Elevating Classic Style  
for Today's Homeowner

Leading Edge Design  
and Innovation

# PRODUCT Range



Angel Jasper



Black Fusion



Blue Pearl



Forest Green



Lourent Gold



Marquina Nero



Portoro Black



Crisocola



Jade Green



Verde Issorie



Agata Blue



Karzai Green



Amazonite



Onice Persia



Afyon White



Apuane Statuario



Arabescato Gold



Bianco Extra



Calcatta Ultra



Delmare



Herozin White



Machia Vecchia



Marble Volakas



Mont Blanc



Panda White



Pearl Cream Onyx




Statuario Altissimo



Statuario Pearl



Statuario Unico




Desert Gold



Espresso




Essel Brown




Jet Black Glaze




Jet Black




Pearl White



Royal Quartzite



Saga White



Scabas




Terazzo Black Salt and Pepper



Terazzo Brown Salt and Pepper



Terazzo Ivory Salt and Pepper



Terazzo Verde Salt and Pepper



Terazzo Grey Salt and Pepper



Wall Street Grey

# PRODUCT Finishes

## CLAS STONE

Gloss is an optical property which indicates how well a surface reflects light in a specular (mirror-like) direction.



## APPLICATION Areas

KITCHEN COUNTERTOP



DINING TABLE



LIVING ROOM



FURNITURE



STAIRCASE



OFFICE TABLE



TABLE TOP



DOOR \ WINDOW  
FRAME



## TECHNICAL Features

LIGHTWEIGHT



WATERPROOF



RESISTANT TO SCRATCHES



RESISTANT TO HIGH  
TEMPERATURES



EASY TO CLEAN



RESISTANT TO BENDING



100% NATURAL



RECYCLABLE



HYGIENIC



RESISTANT TO UV RAYS







# ANGEL JASPER


BODY  
BLACK BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# BLACK FUSION

BODY  
BLACK BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





**BLUE PEARL**


**BODY**  
**BLACK BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





**FOREST GREEN**

**BODY**  
**BLACK BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





# LOURENT GOLD

BODY  
BLACK BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# MARQUINA NERO


BODY  
BLACK BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# PORTORO BLACK

BODY  
BLACK BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





**CRISOCOLLA**

**BODY**  
**BLACK GREEN BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





**JADE GREEN**


**BODY**  
**BLACK GREEN BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





**VERDE ISSORIE**


**BODY**  
**BLACK GREEN BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





# AGATA BLUE

BODY  
BLUE BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





**KARZAI GREEN**

**BODY**  
**DARK GREEN BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





# AMAZONITE

BODY  
LIGHT GREEN BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# ONICE PERSIA


**BODY**  
**LIGHT GREEN BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





**AFYON WHITE**

**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





# APUANE STATUARIO


BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# ARABESCATO GOLD


**BODY**  
WHITE BODY

**FINISH**  
GLOSSY

**SIZE**  
800x3000 MM  
800x3200 MM

**THICKNESS**  
15 MM





# BIANCO EXTRA

BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# CALCATA ULTRA


BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





**DELMARE**


**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





# HEROZIN WHITE


BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# MACHIA VECCHIA


BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# MARBLE VOLAKAS

BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# MONT BLANC

BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# PANDA WHITE


BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# PEARL CREAM ONYX


BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# STATUARIO ALTISSIMO


BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# STATUARIO PEARL


BODY  
WHITE BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





**STATUARIO UNICO**

**BODY**  
**WHITE BODY**

**FINISH**  
**GLOSSY**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**



# DESERT GOLD

BODY  
FULL BODY

FINISH  
GLOSSY & MATT

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





**ESPRESSO**

**BODY**  
**FULL BODY**

**FINISH**  
**GLOSSY & MATT**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**



# ESSEL BROWN


BODY  
FULL BODY

FINISH  
GLOSSY & MATT

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





# JET BLACK GLAZE

BODY  
FULL BODY

FINISH  
GLOSSY & MATT

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





**JET BLACK**

**BODY**  
**FULL BODY**

**FINISH**  
**GLOSSY & MATT**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





**PEARL WHITE**

**BODY**  
**FULL BODY**

**FINISH**  
**GLOSSY & MATT**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**



# ROYAL QUARTZITE

BODY  
FULL BODY

FINISH  
GLOSSY

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM



# SAGA WHITE

BODY  
FULL BODY

FINISH  
GLOSSY & MATT

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM



**SCABAS**

**BODY**  
**FULL BODY**

**FINISH**  
**GLOSSY & MATT**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





# TERAZZO BLACK SALT AND PEPPER

BODY  
FULL BODY

FINISH  
GLOSSY & MATT

SIZE  
800x3000 MM  
800x3200 MM

THICKNESS  
15 MM





**TERAZZO BROWN SALT AND PEPPER**

**BODY**  
**FULL BODY**

**FINISH**  
**GLOSSY & MATT**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**



**TERAZZO IVORY SALT AND PEPPER**

**BODY**  
**FULL BODY**

**FINISH**  
**GLOSSY & MATT**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





**TERAZZO VERDE SALT AND PEPPER**

**BODY**  
**FULL BODY**

**FINISH**  
**GLOSSY & MATT**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





**TERAZZO GREY SALT AND PEPPER**

**BODY**  
**FULL BODY**

**FINISH**  
**GLOSSY & MATT**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**





**WALL STREET GREY**

**BODY**  
**FULL BODY**

**FINISH**  
**GLOSSY & MATT**

**SIZE**  
**800x3000 MM**  
**800x3200 MM**

**THICKNESS**  
**15 MM**



## Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

## Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE OF	TEST METHOD
<b>Regulatory Properties</b>			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness ( Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
<b>Structural Properties</b>			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
<b>Massive Mechanical Properties</b>			
Modulus of rupture	Min. 35.0 N/mm <sup>2</sup>	Min. 42.0 N/mm <sup>2</sup>	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
<b>Surface Mechanical Properties</b>			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mħ	Max. 132mħ	ISO 10545-6
<b>Thermal Hydrometric Properties</b>			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
<b>Chemical Properties</b>			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
<b>Safety Properties</b>			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(< <sup>12</sup> ) / Posh ≥P1( <sup>12-24</sup> )	BS 7976-2
Slip resistance(DCOF)( R value) ##	as per mfg.	R9 to R <sup>13</sup>	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

\* With Nano polished  
 \*\* Except Hydrofluoric Acid & it's compound  
 # Tiles Intended for use on floor  
 ## As per customer requirement

## Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kgs)
Glossy	Color Body	800x3000mm	15mm	1pc	25.83 Sq ft	84 Kgs
	Color Body	800x3200mm	15mm	1pc	27.55 Sq ft	90 Kgs
Glossy & Matt	Full Body	800x3000mm	15mm	1pc	25.83 Sq ft	84 Kgs
	Full Body	800x3200mm	15mm	1pc	27.55 Sq ft	90 Kgs